

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8132	(dark or black) adj (current or voltage)	US-PGPU B; USPAT	OR	ON	2005/06/23 13:46
L3	136857	non\$1uniform\$5	US-PGPU B; USPAT	OR	ON	2005/06/23 13:47
L4	986	2 and 3	US-PGPU B; USPAT	OR	ON	2005/06/23 13:47
L6	198	2 same 3	US-PGPU B; USPAT	OR	ON	2005/06/23 13:47
L7	83	calibrat\$3 and 6	US-PGPU B; USPAT	OR	ON	2005/06/23 13:48
L8	37	calibrat\$3 same 6	US-PGPU B; USPAT	OR	ON	2005/06/23 13:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(calibrat\$4 or pres\$1can\$5) near6 ("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:05
L2	31	1 and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:03
L3	38	(calibrat\$4 or pre\$1scan\$5) near6 ("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 13:06
L4	29	3 and ((compar\$5 or contrast\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:06
L5	14	3 and ((compar\$5 or contrast\$5) same (calibrat\$5 or pre\$1scan\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:09
L6	3	3 and ((calibrat\$5 near5 again) or (re\$1calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:10
L7	8	((calibrat\$5 near5 again) or (re\$1calibrat\$5)) and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:13
L8	11	((calibrat\$5 near5 (repeat\$5 or again or (re\$2execut\$5 or re\$2perform\$5 or re\$2process\$5))) or (re\$1calibrat\$5)) and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18
L9	372	((calibrat\$5 near5 (repeat\$5 or again or (re\$2execut\$5 or re\$2perform\$5 or re\$2process\$5))) or (re\$1calibrat\$5)) same ((compar\$5 or analy\$5 ) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18
L10	319	9 and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18

L11	0	10 and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:19
L12	265	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:19
L13	2	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u)) same ((compar\$5 or analy\$5 ) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:20
L14	4	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u) or prnu) same ((compar\$5 or analy\$5 ) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:20
L15	43	(calibrat\$4 or pre\$1scan\$5 or (recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (again or repeat\$5)))) near6 (("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:43
L16	0	(compar\$5 same (dark near4 (scan\$5 or pre\$2scan\$5)) same (prnu or (p adj2 r adj2 n adj2 u) or (photo near2 respon\$5 near2 non near2 uniform\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:51
L17	7	((dark near4 (scan\$5 or pre\$2scan\$5)) same (prnu or (p adj2 r adj2 n adj2 u) or (photo near2 respon\$5 near2 non near2 uniform\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:51
L18	7	3 and (compar\$5 with result\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 13:06
L19	684	(calibrat\$4 or pre\$1scan\$5) near6 (((("no") adj (light or lamp)) or dark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 13:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6595	((first or initial) near3 calibrat\$5) and ((second or subsequent) near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:28
L2	1610	1 and (calibrat\$5 with (scanner or scanning or reading or reader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:49
L3	260	2 and (compar\$5 with ((first or initial) near5 (second or subsequent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:52
L4	59	3 and (difference near5 ((first or initial) near6 (second or subsequent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:46
L5	20	4 and (difference with (threshold\$5 or limit\$5 or predetermin\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:45
L6	311	1 and ((calibrat\$5 with (scanner or scanning or reading or reader)) same imag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:52
L7	37	6 and (compar\$5 with ((first or initial) near5 (second or subsequent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:49
L8	645	1 and ((scanner or scanning or reading or reader) with imag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:52
L9	112	8 and (compar\$5 with ((first or initial) near5 (second or subsequent)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:52
L10	42	9 and (recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (again or repeat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:03

L11	11	10 and ((dark or prnu or (photo near3 respons\$5 near3 non near2 uniform\$5) or black or ("off" or without or "no") near3 (light or lamp))) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:00
L12	664	1 and ((dark or prnu or (photo near3 respons\$5 near3 non near2 uniform\$5) or black or ("off" or without or "no") near3 (light or lamp))) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:00
L13	8	1 and ((prnu or (photo near3 respons\$5 near3 non near2 uniform\$5) ) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:02
L14	7	1 and ((prnu or (photo near3 respons\$5 near3 nonuniform\$5) ) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:02
L15	7	1 and ((prnu or (photo\$3respons\$5 near3 non\$2uniform\$5) ) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:02
L16	43	((recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (again or repeat\$5))) same compar\$5 same (chang\$3 or difference)) and (calibrat\$5 near5 (scanner or scanning or reading or reader)) and (imag\$3 near4 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:07
L17	137	((full or complete or thorough) near3 calibrat\$5) and ((partial\$3 or incomplete) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:40
L18	3	17 and (compar\$5 near5 (full or complete or thorough) near3 (partial or incomplete))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:30
L19	64	17 and (compar\$5 near5 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:33
L20	7	19 and ((light or lamp or lumin\$6) near4 (profile or intensit\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:37

L21	15	17 and ((light or lamp or lumin\$6) near4 (profile or intensit\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:37
L22	6	((prnu or (photo near2 respons\$5 near3 non near2 uniform\$5)) near3 calibrat\$5) and ((dark or black or ("no" or without or "off")) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:42
L23	4	((prnu or (photo near2 respons\$5 near3 non near2 uniform\$5)) near3 calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:43
L24	4	((prnu or (photo near4 respons\$5 near4 non near4 uniform\$5)) near3 calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:43
L25	23	((prnu or (non near4 uniform\$5)) near3 calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:45
L26	3	((prnu near3 calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:45
L27	3	((p\$2r\$2n\$2u) near3 calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:46
L28	6	((p\$2r\$2n\$2u) with calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:47
L29	14	((p\$2r\$2n\$2u) with calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:51
L30	18	((p\$2r\$2n\$2u) or (photo near2 respons\$5)) with calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:57

L31	43	((p\$2r\$2n\$2u) or (photo near2 respons\$5)) same calibrat\$5) and ((dark or black or ("no" or without or "off") near3 (light or lamp or source))) same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:58
L32	14	31 and (compar\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:10
L33	3	(compar\$5 near6 calibrat\$5 near6 full near6 partial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:10
L34	7	(compar\$5 near6 calibrat\$5 same (full near6 partial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:11
L35	17	(compar\$5 near6 calibrat\$5 same (full) same (partial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:12
L36	0	cheung-nigel.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:12
L37	9	cheung-n-m.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:12
L38	3	(compar\$5 near6 calibrat\$5 near5 scan\$6 same (full) same (partial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:13

L12	507476	scan\$4 or (image adj read\$3)	US-PGPU B; USPAT	OR	ON	2005/06/23 11:03
L13	8	11 and 12	US-PGPU B; USPAT	OR	ON	2005/06/23 11:03
L14	33	(calibrat\$3 or pres\$1can\$4) near6 (("no") adj (light or lamp))	US-PGPU B; USPAT	OR	ON	2005/06/23 11:30

*look @ these*



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	prnu near3 calibrat\$3	US-PGPU B; USPAT	OR	ON	2005/06/23 10:35
L2	7290	(part\$5 or full) near3 calibrat\$3	US-PGPU B; USPAT	OR	ON	2005/06/23 10:35
L3	336	(compar\$4 or differen\$4) near6 2	US-PGPU B; USPAT	OR	ON	2005/06/23 10:39
L4	219	(calibrat\$3 or pres\$1can\$4) near6 ((without or off) near3 (light or lamp))	US-PGPU B; USPAT	OR	ON	2005/06/23 11:05
L5	3	(calibrat\$3 or pres\$1can\$4) near6 ((without or stab\$5 or fix\$3 or stationary) near3 (scan adj head))	US-PGPU B; USPAT	OR	ON	2005/06/23 10:44
L6	1	4 and 5	US-PGPU B; USPAT	OR	ON	2005/06/23 10:44
L7	9	3 and 4	US-PGPU B; USPAT	OR	ON	2005/06/23 10:44
L8	37	2 and 4	US-PGPU B; USPAT	OR	ON	2005/06/23 10:45
L9	3430	pre\$1calibrat\$3	US-PGPU B; USPAT	OR	ON	2005/06/23 11:02
L10	177	2 and 9	US-PGPU B; USPAT	OR	ON	2005/06/23 11:02
L11	41	2 same 9	US-PGPU B; USPAT	OR	ON	2005/06/23 11:02